Phone: 08 8347 1600
Email: sales@hodgemarine.com.au
Website: https://www.hodgemarine.com.au
197 Grange Road Findon SA 5023



300 HP Sea Pro

POA







Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	300 HP	Length	0.00
Year	2023	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type		Stock Number	0
Condition	New	State	South Australia
Suburb	FINDON	Engine Make	Mercury

Disclaimer
Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Phone: 08 8347 1600
Email: sales@hodgemarine.com.au
Website: https://www.hodgemarine.com.au
197 Grange Road Findon SA 5023

Description

The new Mercury V-8 SeaPro outboard models bring more of everything to the job—more displacement, more power, more efficiency and more durability. The impressive muscle of our new V-8 4.6-litre powerhead is specifically designed for commercial duty and delivers our best-ever fuel economy and FourStroke performance. The combination of ample torque and low weight makes these engines ideal for heavily-loaded boats. Guaranteed to do its job, so you can do yours. Mercury SeaPro FourStroke models come with a 2+1 = 3 year commercial factory warranty.ENGINE DETAILS

Advanced Range Optimization (ARO) and closed-loop fuel control work together to precisely adjust the fuel mixture for optimal fuel economy. For commercial fishing vessels, commercial workboats and law-enforcement boats.
SPECIFICATIONS - 300 CMS
HP / kW
• 300/224

Engine type
• V-8

MidSection
• Conventional MidSection

Displacement (CID/CC)
• 279 CID

Displacement (L)
• 4.6L

Cylinder Configuration
• V-8 [64 degree] with Dual Overhead Cam [DOHC] and 32-valves

Full throttle RPM
• 4800-5600

Air induction
• Performance-Tuned Long-Runner Intake Manifold

Fuel induction system
• Electronic Fuel Injection (EFI) Computer Controlled with Advanced Range Optimization

Alternator amp / Watt
• 85-amp (1071 Watt) with Idle Charge

Recommended fuel
• Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

Recommended oil

Disclaimer
Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Phone: 08 8347 1600
Email: sales@hodgemarine.com.au
Website: https://www.hodgemarine.com.au
197 Grange Road Findon SA 5023

• NMMA Certified FCW SAE 25W-40 (Optional 10W-30 for Cold Conditions)

Engine protection operator warning system
• SmartCraft Engine Guardian

Compatible with SmartCraft digital technology
• Yes

Starting
• Electric Start with SmartStart Protection

Controls
• Remote Mechanical or Digital Throttle & Shift (DTS)

Steering
• Hydraulic (standard)
• Power (optional)

Shaft length
• 20" / 508 mm
• 25" / 635 mm
• 30" / 762 mm

Gearcase ratio
• 1.75:1

Dry weight *Lightest model available
• 527 lbs / 239 kgs

CARB star rating
• 3

Bore and stroke
• 3.6 in x 3.4 in / 92 mm x 86 mm

Ignition
• SmartCraft PCM 112 Digital Inductive

Cooling system
• Water-cooled with thermostat

Gear shift
• F-N-R

Gearcase options
• 5.44"

Trim system

Disclaimer
Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Phone: 08 8347 1600
Email: sales@hodgemarine.com.au
Website: https://www.hodgemarine.com.au
197 Grange Road Findon SA 5023

• Power trim and tilt

Exhaust system
• Through prop

Counter Rotation
• Available

Color
• Phantom Black

Lubrication system
• Integrated wet sump

Oil Capacity
• 7.0 Quarts / 6.6 Liters

Maximum Trim Range
• 20° (-6° to 14°)

Maximum Tilt Range
• 73° (-6° to 67°)

Engine Details

Engine Make	Mercury
Displacement	4.6
Horse Power	300

Disclaimer
Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.